



Series RF-DBF Rubber Flex Duckbill Check Valves Flanged Style

Cla-Val Series RF-DBF Duckbill Flanged Style Check Valves feature an integral, metal-backed, rubber flange for attaching directly to flanged-end connections from tank or head wall. A variety of elastomers allow RF-DBF valves to be used with many different fluids. When ordering, specify Model RF-DBF, valve ID size, flange drilling, and add first letter of elastomer material IE: 4"-DB-N (N for Neoprene).






Note 1: Dimensions are for clearance purposes only. Actual product dimensions may vary based upon specific application requirements. Note 2:


Larger sizes are available, contact local office for pricing.



Model RF-DBF

| Size ID | 1 | 1 1/2 | 2 | 2 1/2 | 3 | 4 | 5 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 24 | 28 | 30 | 32 | 36 | 42 | 48 | 54 | 60 | 72 |
|------------|-----|-------|-----|-------|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| L | 5.1 | 6.0 | 6.6 | 7.4 | 8.5 | 10.3 | 11.5 | 12.8 | 15.0 | 17.9 | 20.4 | 22.9 | 24.3 | 26.6 | 29.2 | 38.0 | 41.7 | 43.2 | 44.9 | 52.6 | 56.2 | 63.5 | 68.0 | 73.8 | 86.5 |
| W | 2.6 | 3.2 | 3.9 | 5.1 | 5.5 | 7.4 | 9.4 | 10.5 | 13.7 | 17.3 | 20.5 | 24.2 | 27.6 | 31.1 | 32.3 | 38.6 | 44.9 | 49.2 | 51.6 | 59.4 | 67.3 | 75.2 | 83.1 | 85.0 | 111.4 |
| Wt. Lbs | 1.5 | 1.75 | 3 | 4.2 | 7 | 9 | 12 | 14 | 23 | 29 | 46 | 64 | 82 | 109 | 137 | 167 | 260 | 317 | 333 | 450 | 818 | 1005 | 1310 | 1445 | 1586 |





Elastomer Selection Guide

Ethylene Propylene Rubber

Most effective for applications involving waste or diluted acids.

Viton™

Resists solvents, halogenated hydrocarbons, oxygen, weather, ozone, oils and chemicals. Buna N[®]

Resistant to kerosene, moderate chemicals, fats, oils, grease and many hydrocarbons. Natural Rubber

Good abrasion resistance, tensile strength and resiliency. Also suitable for applications with organic acids, alcohols, ketones and most moderate chemicals.

Hypalon[™]

Resists strong acids and bases, ozone, weathering, heat and oxidizing chemicals. Butyl

Good resistance to animal, vegetable fats, strong oxidizing chemicals, oils, heat and greases.

Neoprene

General resistant to oil, grease, moderate chemicals, fats, hydrocarbons, ozone. and barnacle growth.

| Order Information | Flow Rate (gpm) | Line Pressure | Back Pressure |
|-------------------|-----------------|---------------|---------------|
| Minimum | | | |
| Maximum | | | |



1701 Placentia Ave • Costa Mesa CA 92627 • Phone: 949-722-4800 • Fax: 949-548-5441 • E-mail: info@cla-val.com • www.cla-val.com © Copyright Cla-Val • Printed in USA • Specifications subject to change without notice. E-RF-DBF (R-03/2023)

Sample Flow Rate vs

Headloss Graphs. Other size charts available

upon request.

Based on flow testing at

Utah State University