


WIRING

Model X117H VALVE POSITION TRANSMITTER

PRODUCT FEATURES

The Cla-Val Model X117H Valve Position Transmitter is an accurate monitor of the valve position. Through an industry standard 4-20mA output signals, the X117H delivers the accuracy required for computer-guided control valve systems (SCADA).



Cla-Val Device, SCADA, or PLC *White Blue Blue Brown 15 - 30 VDC 0 VDC *White wire will send 4-20mA signal

See Model X101D for details and dimensions

SPECIFICATIONS		
Fits Valve Sizes:	1-1/2" to 16"	
Enclosure:	IP-68 Water Resistant up to 6.6 ft (2m) for 1 Month	
Temperature Range:	Ambient Temperature: -13°F to 185°F (-25C to 85C) Fluid Temperature: 32°F to 185°F (0C to 85C)	
Electrical Conn.:	Cable Length: 6.6 Feet (2m) Power Supply Voltage 15-30 VDC Output Signal 4-20mA	
Parameters:	Pressure Rating: 360 psi max Accuracy: ±100 µm	
Standard Materials:	Site Tube: Pyrex	

CLA-VAL Company www.cla-val.com info@cla-val.com S-X117H (R-06/2023)

Site Tube Housing: 316 Stainless Steel